

the strain of th

FIG. 2




FIG. 3




FIG. 4





FIG. 5



THE THE TAX STATE OF STATE OF

FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10





FIG. 11



THE RESIDENCE OF THE PROPERTY OF THE PROPERTY

FIG. 12




FIG. 13




FIG. 14





FIG. 15



Exchange Coupling Film and Magnetoresistive Element Using the Same Naoya Hasegawa et al. Attomey Docket No. 9281-3996

12 / 18

FIG. 16

LAYER THICKNESS DIRECTION




FIG. 17

LAYER THICKNESS DIRECTION




FIG. 16

LAYER THICKNESS DIRECTION




FIG. 17

LAYER THICKNESS DIRECTION




FIG. 16

LAYER THICKNESS DIRECTION




FIG. 17

LAYER THICKNESS DIRECTION




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26





FIG. 27



Exchange Coupling Film and Magnetoresistive Element Using the Same Naoya Hasegawa et al. Attorney Docket No. 9281-3996

FIG. 26




FIG. 27




FIG. 26




FIG. 27




FIG. 28




FIG. 29

